

App. No. 09/809,641  
Amendment Dated: October 29, 2004  
Reply to Office Action of August 13, 2004

**Amendments to the Claims:**

1. (Original) A computer-readable medium having computer-executable components, comprising:

a namespace including a plurality of objects, at least one of the objects being associated with a general-purpose event component, the at least one object identifying the general-purpose event component and including a sub-object that defines a set of resources used by the at least one object, wherein the at least one object is distinguishable from other objects in the namespace that specify other general-purpose event components.

2. (Original) The computer-readable medium of claim 1, wherein the resources used by the at least one object comprise I/O space resources.

3. (Original) The computer-readable medium of claim 1, wherein the resources used by the at least one object comprise memory space resources.

4. (Original) The computer-readable medium of claim 1, wherein the at least one object further comprises at least one control method to handle a notice generated by a hardware device.

5. (Original) The computer-readable medium of claim 4, wherein the notice is generated by the hardware device using standard interrupt mechanisms.

6. (Original) The computer-readable medium of claim 1, wherein the at least one object is dynamically loadable into the namespace in response to a hardware component associated with the at least one object being added to a computing system associated with the computer-readable medium.

7. (Original) The computer-readable medium of claim 6, wherein the at least one object is unloadable from the namespace.

8. (Currently amended) The computer-readable medium of claim 1, wherein the namespace further comprises a second object associated with a second [[a]] general-purpose

App. No. 09/809,641  
Amendment Dated: October 29, 2004  
Reply to Office Action of August 13, 2004

event component, the second object not having a defined set of resources used by the second object, the absence of the defined set of resources being indicative that the second object comprises a root general-purpose event component.

receiving an instruction to load a general-purpose event block device into a configuration namespace, the general-purpose event block device including an object that defines a set of resources used by the general-purpose event block device; and

loading the general-purpose event block device into the namespace at a location;

receiving another instruction to load another general-purpose event block device into the configuration namespace; and

loading the other general-purpose event block device into the namespace at another location.

10. (Original) The computer-readable medium of claim 9, further comprising:  
receiving an instruction to unload the general-purpose event block device from the namespace; and

unloading the general-purpose event block device from the namespace.

11. (Original) The computer-readable medium of claim 9, wherein the set of resources used by the general-purpose event block device comprises I/O space resources.

12. (Original) The computer-readable medium of claim 9, wherein the set of resources used by the general-purpose event block device comprise memory space resources.

13. (Canceled)

14. (Original) A computer-readable medium having a data structure stored thereon, the data structure comprising:

a first data object associated with a first general-purpose event component, and including a sub-object that defines a set of resources used by the first data object; and

a second data object associated with a second general-purpose event component.

App. No. 09/809,641

Amendment Dated: October 29, 2004

Reply to Office Action of August 13, 2004

15. (Currently amended) The computer-readable medium of claim 14, wherein the second data object further comprises a set of resources used [[y]] by the second data object.

16. (Original) The computer-readable medium of claim 14, wherein the second general-purpose event component comprises a root general purpose event component, and wherein the first general-purpose event component comprises a secondary general-purpose event component.

17. (Original) The computer-readable medium of claim 14, wherein the first data object and the second data object are stored within a namespace associated with a configuration management system.

18. (Original) The computer-readable medium of claim 14, wherein the first data object and the second data object are stored within an Basic Input/Output System (BIOS) associated with a configuration management system.

19. (Original) The computer-readable medium of claim 18, wherein the first data object and the second data object are read from the BIOS and stored within a namespace associated with a configuration management system.

20. (Original) The computer-readable medium of claim 19, wherein the first general-purpose event component and the second general-purpose event component each comprise a hardware device electrically coupled to one or more other hardware devices such that a signal generated by the one or more other hardware devices is presented by the respective general-purpose event component to the configuration management system in the form of an interrupt.